



A170/A200/A250 - Drip Trims




Fitted to the roof edges to allow drainage into the gutter.

- A170 75 x 84mm
- A200 95 x 90mm
- A250 95 x 140mm
- A200A 95 x 90mm (same A200, but with drip return)






B240/B260/B300 - raised edge trims




All 3 metre lengths:

- B240 – 100 x 105mm
- B260 – 130 x 125mm
- B300 – 110 x 175mm






D260 Fillet Trim & C100/C150 - Simulated Lead Flashing




All 3 metre lengths:

- D260 – 120 x 60 x 80mm




All 3 metre lengths:

- C100 – 35 x 100mm
- C150 – 35 x 150mm



F300/F600/F900 - Flat Flashing





All 20 metre rolls:

- F300 – 300mm x 20m roll
- F600 – 600mm x 20m roll
- F900 – 900mm x 20m roll



www.crysticroof.com





C5 & C6 Closure Trims


C5 Roof Ridge Closure –
Preformed closure for application
to the end of a roof ridge section.
Use with E280



C6 Rolled Rib Closure –
Preformed closure for application
to the end of ER40/30 details.



G150/G275 - external 90° angle trims & H150/G275 - internal 90° angle trims



- G150 – 75mm x 75mm
- G275 – 200mm x 75mm

- H150 – 75mm x 75mm
- H275 – 200mm x 75mm



